Qty:

2 Um:

Each

: CABIN FLOOR PROTECTOR

: D35756

: N/A

: D3575 REV.A

: 18/04/2008

Date: User: 1

Thursday, 10/04/2008 10:37:09 AM

Julie Lecocq

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

Customer Job Number

Prsht Rev.

Written By

: CU-DAR001 Dart Helicopters Services

Type

: 38520 : 12972

Estimate Number

P.O. Number

: 10/04/2008 This Issue

: NC

First Issue : 10/04/2008

Checked & Approved By

: 35950

: SMALL /MED FAB

S.O. No. :

Comment

Previous Run

: Est Rev :A

New Issue 07.07.23

EC

verified by:JLM

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

25/6002404

lexan grey



Comment: Qty.: 10.6660 sf(s)/Unit

TON, GG

21.3320 sf(s) Total:

F60029 lexan sheet

Batch: 103106

2.0

WATER JET

FLOW WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D3575 Dwg Rev:

Prog Rev: A

B8-4-14



2-Deburr if necessary

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



1B 8-4-14



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

SECOND CHECK



Comment: SECOND

5.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE





Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

08-04-14

Page 1

Form: rprocess

Dart Aerospace Ltd

W/O:		WORK ORDER	CHANGES			
DATE	STEP	PROCEDURE CHANGE	By Da	te Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	•	PAR #: Fault Category:	NCR: Yes No	DQA:	Date: _	

QA: N/C Closed: ____ Date: ___

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
DATE		Description of NC		Corrective Action Section B			Γ				
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector			
				•	,						

NOTE: Date & initial all entries

Date: User:

Thursday, 10/04/2008 10:37:09 AM

Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: CABIN FLOOR PROTECTOR

Job Number: 38520

Part Number: D35756

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

7.0

PACKAGING 1

PACKAGING RESOURCE #1




Comment: PACKAGING RESOURCE #1

Identify with R/N and B/N using a permanent fine point marker, then Stock

Location: V

395/6

NAL MODECTIONANO DEL FACE



8.0

QC21

FINAL INSPECTION/W/O RELEASE



08/04/17

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



mf 08-04-16

Dart Aerospace Ltd


W/O:		WORK ORDER CH	WORK ORDER CHANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	A:	_ Date: _	

QA: N/C Closed: ____ Date: ____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B				Τ		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		

NOTE: Date & initial all entries





NO 38530

07.06.08 **NEW ISSUE** 28.06 6.13 63 ത് 1.13 0.63 -0.00 1.25-2.00 3.38 3.50 5.00-6.50-14.25 R200.0--ø3.00 (TYP) 25.13 26.13-RETURN TO 31.50-R1.00 SUNCONTROLLED COPY 27.69 26.88 (2 PLACES) SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER

D3575-1 CABIN FLOOR PROTECTOR (SHOWN) D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8966

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8967

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3575-5 CABIN FLOOR PROTECTOR (SHOWN)
D3575-6 CABIN FLOOR PROTECTOR (OPPOSITE)

UNCONTROLLED COP SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER NO. 38.520

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPA	CELTD	Work Order:	38520
Description:	CABIN FLOOR PROTECTOR	Part Number:	03575-6
Inspection Dwg: D3	CS-6 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Prototype X First Article

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø 3,00	100, - 610.4	3,000	太	·	·	
3,38	4- 00	3,39	X.			
6.50	1/2 .030	6,50	*			
26.13	th 030	26.13	X			
30.13	4030	30.13	*			
2.00	1/2 .030	9,66	*			
3,50	4/030		k			
14.76	4030	14.75	*			
S1. 26	1/030	25.B	*			
	4-,030	29.38	X.			
	1/- 030	30,38	x			
	1/2 .030	31.50	K			
1.06	1/- 630	1,06	*			
4.38	1030	438	E			
	4/030	14.50	·			
18,00	1/2 .030	16.06	<u> </u>			
	1030	23,13 x				
	630	26.88 *				
23.69	030	27.69 *				
1,06	030	1,66 \$				
375 1	630	3,75 3				
9.63 4	630	963 >				
16.13 11.	030	16.13 7			· .	
Nessured by: R		38.00 JK	·			
HD.		lited by:	1 ./ .	Proto	otype Approva	
Date: 8-	4-14	Date: 02	10/14] [Date	e: /

Rev	Date	Change		Revised by	Approved
Α		New Issue		KJ/JLM	
	2715	4/ 570	74 1-		

